Safety Data Sheet

Foamy Penetrating Spray

SECTION 1. IDENTIFICATION

| Product Identifier | Foamy Penetrating Spray |
|----------------------------|-----------------------------|
| Part number | FPS01 |
| Product Family | Mixture |
| Recommended Use | Penetrant. |
| Restrictions on Use | None known. |
| Manufacturer | B-Line Tire and Auto Supply |

Emergency Phone No. CANUTEC, +1.613.996.6666, Operation hours: 24/7

SECTION 2. HAZARD IDENTIFICATION

Classification

Flammable aerosol - Category 1; Gas under pressure - Compressed gas; Skin irritation - Category 2; Eye irritation - Category 2A; Aspiration hazard - Category 1

Label Elements



Danger

Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Pressurized container: may burst if heated. May be fatal if swallowed and enters airways. Causes skin irritation. Causes serious eye irritation. Keep away from heat, sparks, open flames, and hot surfaces. – No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Wash hands and skin thoroughly after handling. Wear protective gloves. Wear eye protection/face protection. IF SWALLOWED: Immediately call a POISON CENTRE or doctor. Do NOT induce vomiting. IF ON SKIN: Wash with plenty of water.

Take off contaminated clothing and wash it before reuse.

If skin irritation occurs: Get medical advice/attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Store locked up.

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

Store in a well-ventilated place.

Dispose of contents and container in accordance with local, regional, national and international regulations.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture:

| CAS No. | % | Other Identifiers | Other Names |
|------------|--|--|---|
| 68476-85-7 | 10-30 | | |
| 95-63-6 | 10-30 | | |
| 64742-95-6 | 10-15 | | |
| 112-80-1 | 5-10 | | |
| 108-11-2 | 3-7 | | |
| 111-76-2 | 3-7 | | |
| 108-67-8 | 1-5 | | |
| 64742-52-5 | 1-5 | | |
| 64742-53-6 | 1-5 | | |
| 68603-42-9 | 1-5 | | |
| 111-42-2 | 0.1-1.0 | | |
| 1330-20-7 | 0.1-1.0 | | |
| 25340-17-4 | 0.1-1.0 | | |
| 98-82-8 | 0.1-1.0 | | |
| | 68476-85-7 95-63-6 64742-95-6 112-80-1 108-11-2 111-76-2 108-67-8 64742-52-5 64742-53-6 68603-42-9 111-42-2 1330-20-7 25340-17-4 | 68476-85-7 10-30 95-63-6 10-30 64742-95-6 10-15 112-80-1 5-10 108-11-2 3-7 111-76-2 3-7 108-67-8 1-5 64742-52-5 1-5 64742-53-6 1-5 68603-42-9 1-5 111-42-2 0.1-1.0 1330-20-7 0.1-1.0 | 68476-85-7 $10-30$ $95-63-6$ $10-30$ $64742-95-6$ $10-15$ $112-80-1$ $5-10$ $108-11-2$ $3-7$ $108-11-2$ $3-7$ $108-67-8$ $1-5$ $64742-52-5$ $1-5$ $64742-53-6$ $1-5$ $111-42-2$ $0.1-1.0$ $1330-20-7$ $0.1-1.0$ |

Notes

Concentration ranges due to batch processing. Documentation supporting composition variability is maintained.

SECTION 4. FIRST-AID MEASURES

First-aid Measures

Inhalation

Remove source of exposure or move to fresh air. If breathing is difficult, trained personnel should administer emergency oxygen if advised to do so by Poison Centre or doctor. If experiencing respiratory symptoms (e.g. coughing, shortness of breath, wheezing), call a Poison Centre or doctor. If breathing has stopped, trained personnel should begin rescue breathing. Immediately call a Poison Centre or doctor.

Skin Contact

Take off contaminated clothing, shoes and leather goods (e.g. watchbands, belts). Wash gently and thoroughly with lukewarm, gently flowing water and mild soap for 5 minutes. If skin irritation occurs, get medical advice or attention.

Eye Contact

Immediately rinse the contaminated eye(s) with lukewarm, gently flowing water for 15-20 minutes, while holding the eyelid(s) open. If a contact lens is present, DO NOT delay flushing or attempt to remove the lens. Take care not to rinse contaminated water into the unaffected eye or onto the face. If eye irritation persists, get medical advice or attention.

Ingestion

Product Identifier: Date of Preparation: Date of Last Revision:

Foamy Penetrating Spray - Ver. 1 September 21, 2017 SDS No.:

Never give anything by mouth if person is rapidly losing consciousness, or is unconscious or convulsing. Do not induce vomiting. If vomiting occurs naturally, lie on your side in the recovery position. Rinse mouth with water again. Drink two glasses of water. Immediately call a Poison Centre or doctor.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media

Carbon dioxide or dry chemical.

Unsuitable Extinguishing Media

DO NOT use water or water-based extinguishing agents.

Specific Hazards Arising from the Product

Contains gas under pressure; may explode if heated. Flammable aerosol. May travel a considerable distance to a source of ignition and flash back to a leak or open container.

Carbon oxides, and other unidentified organic compounds.

Special Protective Equipment and Precautions for Fire-fighters

See Skin Protection in Section 8 (Exposure Controls/Personal Protection) for advice on suitable chemical protective materials.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures

Evacuate the area immediately. Isolate the hazard area. Keep out unnecessary and unprotected personnel. Remove or isolate incompatible materials as well as other hazardous materials. Use the personal protective equipment recommended in Section 8 of this safety data sheet.

Environmental Precautions

Do not allow into any sewer, on the ground or into any waterway. If the spill is inside a building, prevent product from entering drains, ventilation systems and confined areas.

Methods and Materials for Containment and Cleaning Up

Contain and soak up spill with absorbent that does not react with spilled product. Contaminated absorbent poses the same hazard as the spilled product. Place used absorbent into suitable, covered, labelled containers for disposal.

SECTION 7. HANDLING AND STORAGE

Precautions for Safe Handling

It is good practice to: avoid breathing product; avoid skin and eye contact and wash hands after handling. Only use where there is adequate ventilation.

Conditions for Safe Storage

Store in an area that is: cool, dry, well-ventilated. Store at temperatures not exceeding: 40°C.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

| | ACG | SIH® TLV® | OSHA PEL | | |
|--------------------------|-------------|-----------------|-----------------|-----------------|--|
| Chemical Name | TWA | STEL [C] | TWA | Ceiling | |
| Methyl isobutyl carbinol | 25 ppm Skin | 40 ppm | 25 ppm | Not established | |
| 1,3,5-Trimethylbenzene | 25 ppm | Not established | Not established | Not established | |
| 2,2-iminodiethanol | 1 mg/m3 A3 | Not established | 15 mg/m3 | Not established | |
| 2-Butoxyethanol | 20 ppm A3 | Not established | 240 mg/m3 | Not established | |
| Xylene (mixed isomers) | 100 ppm A4 | 150 ppm A4 | 435 mg/m3 | Not established | |
| 1,2,4-Trimethylbenzene | 25 ppm | Not established | Not established | Not established | |

Product Identifier:Foamy Penetrating Spray - Ver. 1Date of Preparation:September 21, 2017Date of Last Revision:September 21, 2017

SDS No.: TNDS8047

Page 03 of 08

| Cumene 50 ppm | Not established | 50 ppm | Not established |
|---------------|-----------------|--------|-----------------|
|---------------|-----------------|--------|-----------------|

Appropriate Engineering Controls

Sufficient mechanical ventilation to maintain exposures below the TLV. Under normal conditions of use, general ventilation should be satisfactory. Local ventilation is recommended if the product is misted or used in a confined space or if the TLV is exceeded. Make up air should always be supplied to balance air exhausted. Provide eyewash and safety shower if contact or splash hazard exists.

Individual Protection Measures

Eye/Face Protection

Wear chemical safety goggles.

Skin Protection

Wear chemical protective clothing e.g. gloves, aprons, boots. Suitable materials are: neoprene rubber, nitrile rubber.

Respiratory Protection

Not normally required if product is used as directed.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Basic Physical and Chemical Properties

| Dasic Physical and Chemical | ropenies |
|------------------------------|--|
| Appearance | Clear amber liquid. |
| Odour | Ammonia-like |
| Odour Threshold | Not available |
| рН | Not available |
| Melting Point/Freezing Point | Not available (melting) |
| Initial Boiling Point/Range | Not available |
| Flash Point | Not applicable |
| Evaporation Rate | Not available |
| Flammability (solid, gas) | Not applicable (liquid). |
| Upper/Lower Flammability or | Not available (upper); Not available (lower) |
| Explosive Limit | |
| Vapour Pressure | Not available |
| Vapour Density (air = 1) | Not available |
| Relative Density (water = 1) | 0.922 at 15 °C |
| Solubility | Partial in water |
| Partition Coefficient, | Not available |
| n-Octanol/Water (Log Kow) | |
| Auto-ignition Temperature | Not available |
| Decomposition Temperature | Not available |
| Viscosity | 11.05 centistokes at 40°C (kinematic) |
| Other Information | |
| VOC % | Not available |
| Flame projection | > 100 cm |
| NFPA Classification | Aerosol, level 2 |
| | |

SECTION 10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions of use. Chemical Stability Normally stable.

Product Identifier: Date of Preparation: Date of Last Revision: Foamy Penetrating Spray - Ver. 1 September 21, 2017 SDS No.:

Page 04 of 08

Possibility of Hazardous Reactions

None known.

Conditions to Avoid

High temperatures. Open flames, sparks, static discharge, heat and other ignition sources.

Incompatible Materials

Strong oxidizing agents (e.g. perchloric acid).

Hazardous Decomposition Products

Carbon oxides. And other unidentified organic compounds.

SECTION 11. TOXICOLOGICAL INFORMATION

Information presented below is for the entire product, unless otherwise specified.

Likely Routes of Exposure

Inhalation; Skin contact; Eye contact; Ingestion.

Acute Toxicity

| Chemical Name | LC50 | LD50 (oral) | LD50 (dermal) |
|--|---|--------------------------|------------------------|
| 1,3,5-Trimethylbenzene | 24000 mg/m3 (rat) (4-hour exposure) | Not available | Not available |
| 2,2-iminodiethanol | > 0.4 ppm (rat) (6-hour) | 680 mg/kg (female rat) | 8180 mg/kg (rabbit) |
| 2-Butoxyethanol | 450 ppm (female rat) (4-hour exposure) | 530 mg/kg (female rat) | 400-500 mg/kg (rabbit) |
| Oleic acid | Not available | > 19200 mg/kg (male rat) | Not available |
| Xylene (mixed isomers) | 6350 ppm (male rat) (4-hour exposure) | 3523 mg/kg (rat) | > 1700 mg/kg (rabbit) |
| Diethylbenzene | > 30000 mg/m3 (mouse) | 1200 mg/kg (rat) | > 5000 mg/kg (rabbit) |
| Distillates (petroleum), hydrotreated heavy naphthenic | 2180 mg/m3 (rat) (4-hour exposure) | > 5000 mg/kg (rat) | > 2000 mg/kg (rabbit) |
| Hydrotreated light naphthenic distillate | 2180 mg/m3 (rat) | > 5000 mg/kg (rat) | > 2000 mg/kg (rabbit) |
| Solvent naphthat (petroleum), light aromatic | > 14.4 mg/L (rat) (6-hour) | 8400 mg/kg (rat) | > 3160 mg/kg (rabbit) |
| Amides, coco, Ú, Ú-bis(hydroxyethyl) | Not available | 12200 mg/kg (rat) | > 2000 mg/kg (rabbit) |
| 1,2,4-Trimethylbenzene | 18000 mg/m3 (rat) (4-hour exposure) | 5000 mg/kg (rat) | Not available |
| Cumene | 39 mg/L (rat) (4-hour exposure) | 1400 mg/kg (rat) | 10627 mg/kg (rabbit) |

Skin Corrosion/Irritation

There is limited evidence of moderate or severe irritation.

Serious Eye Damage/Irritation

There is limited evidence of serious eye irritation. Symptoms include sore, red eyes, and tearing.

STOT (Specific Target Organ Toxicity) - Single Exposure

Inhalation

At high concentrations causes nose and throat irritation, depression of the central nervous system. Symptoms may

| Product Identifier: | Foamy Penetrating Spray - Ver. 1 | SDS No.: | | |
|------------------------|----------------------------------|----------|-------|----|
| Date of Preparation: | September 21, 2017 | | | |
| Date of Last Revision: | | Page | 05 of | 80 |

include headache, nausea, dizziness, drowsiness and confusion.

Skin Absorption

No information was located.

Ingestion

If large amounts are swallowed can cause effects as described for inhalation. Symptoms may include nausea, vomiting, stomach cramps and diarrhea.

Aspiration Hazard

May cause lung damage if aspirated based on physical properties (e.g. kinematic viscosity) and chemical family (hydrocarbon).

STOT (Specific Target Organ Toxicity) - Repeated Exposure

Conclusions cannot be drawn from the limited studies available.

Respiratory and/or Skin Sensitization

No information was located for respiratory sensitization.

No information was located for skin sensitization.

Carcinogenicity

| Chemical Name | ACGIH® | IARC | NTP | OSHA |
|--|----------------|---------------|------------|------------|
| 2,2-iminodiethanol | A3 | Group 2B | Not Listed | Not Listed |
| 2-Butoxyethanol | A3 | Group 3 | Not Listed | Not Listed |
| Xylene (mixed isomers) | A4 | Group 3 | Not Listed | Not Listed |
| Solvent naphthat (petroleum), light aromatic | Not Listed | Not evaluated | Not Listed | Not Listed |
| Petroleum gases, liquefied | Not Listed | Not Listed | Not Listed | Not Listed |
| Cumene | Not designated | Group 2B | Not Listed | Not Listed |

Contains. (2,2-iminodiethanol) which has been classified as a Group 2B carcinogen (possibly carcinogenic to humans) contains. (Cumene) which has been classified as a Group 2B carcinogen (possibly carcinogenic to humans).

Key to Abbreviations

ACGIH® = American Conference of Governmental Industrial Hygienists. A3 = Animal carcinogen. A4 = Not classifiable as a human carcinogen.

IARC = International Agency for Research on Cancer. Group 2B = Possibly carcinogenic to humans. Group 3 = Not classifiable as to its carcinogenicity to humans.

Reproductive Toxicity

Development of Offspring

(Xylene (mixed isomers)) may cause effects on the unborn child based on limited evidence.

No information was located for: Sexual Function and Fertility, Effects on or via Lactation, Germ Cell Mutagenicity, Interactive Effects

SECTION 12. ECOLOGICAL INFORMATION

This section is not required by WHMIS. This section is not required by OSHA HCS 2012.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal Methods

Empty containers retain product residue. Follow label warnings even if container appears to be empty. Store product for disposal as described under Storage in Section 7 of this safety data sheet. The container for this product can present explosion or fire hazards, even when emptied. Do not cut, puncture, or weld on or near this container. Dispose of in accordance with municipal, provincial/state or federal regulations.

SDS No.:

SECTION 14. TRANSPORT INFORMATION

| Regulation | UN No. | Proper Shipping Name | Transport Hazard Class(es) | Packing Group |
|---------------|--------|----------------------|-------------------------------|------------------|
| Canadian TDG | UN1950 | Aerosols | 2.1 | |
| IMDG (Marine) | UN1950 | Aerosols | 2.1 | |
| IATA (Air) | UN1950 | Aerosols, flammable | 2.1 | |

Special Precautions Not applicable

Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

Emergency Response 126 EmS F-D, S-U Guide No.

Other Information ICAO/IATA PI Y203/203

Product may ship as LTD QTY if TDG, ICAO/IATA or IMDG Limited Quantity provisions are met.

SECTION 15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations

Canada

Domestic Substances List (DSL) / Non-Domestic Substances List (NDSL)

All ingredients are listed on the DSL/NDSL.

CEPA - National Pollutant Release Inventory (NPRI)

(2,2-iminodiethanol) Part 1A.
(2-Butoxyethanol) Part 5.
(Xylene (mixed isomers)) Part 1A.
(d-Limonene) Part 5.
(Solvent naphthat (petroleum), light aromatic) Part 5.
(1,2,4-Trimethylbenzene) Part 1A.
(Cumene) Part 1A.

USA

Toxic Substances Control Act (TSCA) Section 8(b)

All ingredients are listed on the TSCA Inventory.

Additional USA Regulatory Lists

CERCLA. (2,2-iminodiethanol). (Xylene (mixed isomers)). (Ammonium hydroxide). (Cumene)

SARA Title III - Section 302:

SARA Title III - Section 313. (2,2-iminodiethanol). (Xylene (mixed isomers)). (1,2,4-Trimethylbenzene). (Cumene) California Proposition 65: Not applicable.

Massachusetts Right To Know: Not applicable.

New Jersey Right To Know. (Methyl isobutyl carbinol). (2,2-iminodiethanol). (2-Butoxyethanol). (Calcium hydroxide). (Xylene (mixed isomers)). (Ammonium hydroxide). (Diethylbenzene). (Glycerine). (Petroleum gases, liquefied). (1,2,4-Trimethylbenzene). (Cumene) Pennsylvania Right To Know. (Methyl isobutyl carbinol). (2,2-iminodiethanol). (2-Butoxyethanol). (Oleic acid).

(Calcium hydroxide). (Xylene (mixed isomers)). (Ammonium hydroxide). (Diethylbenzene). (Glycerine). (Petroleum gases, liquefied). (1,2,4-Trimethylbenzene). (Cumene)

SECTION 16. OTHER INFORMATION

| NFPA Rating SDS Prepared By Phone No. | Health - 2 Flammability - 4 Regulatory Compliance 800.201.9486 | Instability - 3 | |
|---|--|-----------------|---------------|
| Product Identifier: | Foamy Penetrating Spray - Ver. 1 | | SDS No.: |
| Date of Preparation: | September 21, 2017 | | |
| Date of Last Revision: | | | Page 07 of 08 |

| Date of Preparation Key to Abbreviations | September 21, 2017 ACGIH® = American Conference of Governmental Hygienists CANUTEC = Canadian Transport Emergency Centre CAS = Chemical Abstract Service CCOHS = Canadian Centre for Occupational Health & Safety CNS = Central nervous system GESTIS = GESTIS Substance Database HSDB® = Hazardous Substances Data Bank IARC = International Agency for Research on Cancer ICAO = International Civil Aviation Organization IMDG = International Maritime Dangerous Goods Code LC = Lethal concentration LC = Lethal dose NFPA = National Fire Protection Association NTP = National Toxicology Program OSHA = US Occupational Safety and Health Administration PPM = Parts per million RTECS® = Registry of Toxic Effects of Chemical Substances STEL = Short term exposure limit TDG = Transportation of Dangerous Goods Regulations (Canada) |
|---|---|
| References | TWA = Time weighted average Material safety data sheet from manufacturer. CHEMINFO database. Canadian Centre for Occupational Health and Safety (CCOHS). HSDB® database. US National Library of Medicine. Available from Canadian Centre for Occupational Health and Safety (CCOHS). Registry of Toxic Effects of Chemical Substances (RTECS®) database. Accelrys, Inc. Available from Canadian Centre for Occupational Health and Safety (CCOHS). ECHA - European Chemical Agency, Classification and Labelling Inventory GESTIS Substance Database OECD - The Global Portal to Information on Chemical Substances - eChemPortal, 2015. |
| Disclaimer | The information contained herein is offered only as a guide to the use and handling of this specific material and has been prepared in good faith. It is not intended to be all-inclusive, and the manner and conditions of use and handling may involve other and additional considerations. No warranty of any kind is given or implied. Shrader Canada Limited will not be liable for any damages, losses, injuries or consequential damages which may result from the use of or reliance on any information contained herein. |

Product Identifier: Date of Preparation: Date of Last Revision: Foamy Penetrating Spray - Ver. 1 September 21, 2017

SDS No.:

Page 08 of 08

